

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|---|--------------------|------------------|---------|------------------|
| L1 | 1 | "20060073827" | US-PGPUB; USPAT | OR | OFF | 2007/07/04 17:53 |
| L2 | 5 | WLAN with changeover | US-PGPUB; USPAT | OR | OFF | 2007/07/04 17:55 |
| L3 | 272 | WLAN with (hnadover handoff changeover) | US-PGPUB; USPAT | OR | OFF | 2007/07/04 17:56 |
| L4 | 447 | WLAN with (handover handoff changeover) | US-PGPUB; USPAT | OR | OFF | 2007/07/04 17:56 |
| L5 | 54 | WLAN with (handover handoff changeover) and frequency adj band | US-PGPUB; USPAT | OR | OFF | 2007/07/04 17:56 |
| S25 5 | 5 | (multiband (multi adj band) dual adj band) with (handoff handover hand adj off hand adj over) and (MAC "802.11" WLAN wireless adj LAN) | US-PGPUB; USPAT | OR | OFF | 2007/07/04 08:43 |
| S25 6 | 5 | "6799045" | US-PGPUB; USPAT | OR | OFF | 2007/07/04 07:50 |
| S25 7 | 5 | "6748222" | US-PGPUB; USPAT | OR | OFF | 2007/07/04 07:48 |
| S25 8 | 2 | "20050130662" | US-PGPUB; USPAT | OR | OFF | 2007/07/04 07:48 |
| S25 9 | 6 | "6609007" | US-PGPUB; USPAT | OR | OFF | 2007/07/04 07:50 |
| S26 0 | 4 | "6792276" | US-PGPUB; USPAT | OR | OFF | 2007/07/04 07:50 |
| S26 1 | 98 | vaisanen.in. | US-PGPUB; USPAT | OR | OFF | 2007/07/04 08:01 |
| S26 2 | 9 | vaisanen.in. and MAC | US-PGPUB; USPAT | OR | OFF | 2007/07/04 08:07 |
| S26 3 | 5 | (multiband (multi adj band) dual adj band) with (handoff handover hand adj off hand adj over change adj over switch adj over) and (MAC "802.11" WLAN wireless adj LAN) | US-PGPUB; USPAT | OR | OFF | 2007/07/04 08:20 |
| S26 4 | 0 | (multiband (multi adj band) dual adj band) with (MAC "802.11" WLAN wireless adj LAN) same frames | US-PGPUB; USPAT | OR | OFF | 2007/07/04 08:20 |
| S26 5 | 4 | (multiband (multi adj band) dual adj band) with AP and (MAC "802.11" WLAN wireless adj LAN) same frames | US-PGPUB; USPAT | OR | OFF | 2007/07/04 08:22 |

EAST Search History

| | | | | | | |
|----------|-----|--|--------------------|----|-----|------------------|
| S26 6 | 12 | "6563810" | US-PGPUB; USPAT | OR | OFF | 2007/07/04 08:23 |
| S26 7 | 1 | "20040023652" | US-PGPUB; USPAT | OR | OFF | 2007/07/04 08:25 |
| S26 8 | 1 | "20040063426" | US-PGPUB; USPAT | OR | OFF | 2007/07/04 08:26 |
| S26 9 | 2 | "20040127214" | US-PGPUB; USPAT | OR | OFF | 2007/07/04 08:26 |
| S27 0 | 2 | "20040165571" | US-PGPUB; USPAT | OR | OFF | 2007/07/04 08:43 |
| S27 1 | 125 | (multiband (multi adj band) dual adj band) and (handoff handover hand adj off hand adj over) and (MAC "802.11" WLAN wireless adj LAN) | US-PGPUB; USPAT | OR | OFF | 2007/07/04 08:43 |
| S27 2 | 49 | (multiband (multi adj band) dual adj band) and (handoff handover hand adj off hand adj over) and (MAC "802.11" WLAN wireless adj LAN) and (beacon frames) | US-PGPUB; USPAT | OR | OFF | 2007/07/04 08:44 |
| S27 3 | 15 | (multiband (multi adj band) dual adj band) and (handoff handover hand adj off hand adj over) and (MAC "802.11" WLAN wireless adj LAN) and (beacon frames) with information | US-PGPUB; USPAT | OR | OFF | 2007/07/04 08:56 |
| S27 4 | 144 | (multiband (multi adj band) dual adj band) and (MAC "802.11" WLAN wireless adj LAN) and (beacon frames) with information | US-PGPUB; USPAT | OR | OFF | 2007/07/04 10:10 |
| S27 5 | 5 | (multiband (multi adj band) dual adj band) with broadcast with frequency adj band | US-PGPUB; USPAT | OR | OFF | 2007/07/04 10:11 |
| S27 6 | 0 | (multiband (multi adj band) dual adj band) with bneacon with frequency adj band | US-PGPUB; USPAT | OR | OFF | 2007/07/04 10:11 |
| S27 7 | 2 | (multiband (multi adj band) dual adj band) with beacon with frequency adj band | US-PGPUB; USPAT | OR | OFF | 2007/07/04 10:13 |
| S27 8 | 11 | (multiband (multi adj band) dual adj band) and beacon with frequency adj band | US-PGPUB; USPAT | OR | OFF | 2007/07/04 10:14 |
| S27 9 | 182 | beacon with frequency adj band | US-PGPUB; USPAT | OR | OFF | 2007/07/04 10:14 |

EAST Search History

| | | | | | | |
|----------|-----|---|--|----|-----|------------------|
| S28 0 | 253 | beacon with frequency adj band | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/04 10:15 |
| S28 1 | 32 | beacon with frequency adj band and "802.11" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/04 10:40 |
| S28 2 | 32 | beacon with frequency adj band and "802.11" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/04 10:41 |
| S28 3 | 76 | frame\$ with frequency adj band and "802.11" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/04 10:41 |
| S28 4 | 1 | AP with frame\$ with frequency adj band and "802.11" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/04 10:41 |
| S28 5 | 10 | AP with (multiband dual adj band) and "802.11" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/04 10:43 |
| S28 6 | 1 | AP with frame\$ with frequency adj band and "802.11" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/04 10:52 |
| S28 7 | 1 | beacon adj frame.ti. | US-PGPUB; USPAT | OR | OFF | 2007/07/04 10:52 |

EAST Search History

| | | | | | | |
|----------|------|---|--------------------|----|-----|------------------|
| S28 8 | 45 | beacon adj frame.ab. | US-PGPUB; USPAT | OR | OFF | 2007/07/04 10:53 |
| S28 9 | 31 | beacon adj frame.ab. and "802.11" | US-PGPUB; USPAT | OR | OFF | 2007/07/04 10:55 |
| S29 0 | 1 | beacon adj data adj structure \and "802.11" | US-PGPUB; USPAT | OR | OFF | 2007/07/04 11:16 |
| S29 1 | 96 | AP with frequency adj band | US-PGPUB; USPAT | OR | OFF | 2007/07/04 11:17 |
| S29 2 | 62 | AP with frequency adj band and "802.11" | US-PGPUB; USPAT | OR | OFF | 2007/07/04 11:18 |
| S29 3 | 16 | AP with frequency adj band same "802.11" | US-PGPUB; USPAT | OR | OFF | 2007/07/04 11:29 |
| S29 4 | 96 | AP with frequency adj band | US-PGPUB; USPAT | OR | OFF | 2007/07/04 11:35 |
| S29 5 | 0 | multiband with access adj point.ti. | US-PGPUB; USPAT | OR | OFF | 2007/07/04 11:35 |
| S29 6 | 3 | multi-band with access adj point.ti. | US-PGPUB; USPAT | OR | OFF | 2007/07/04 11:45 |
| S29 7 | 12 | multi-band near access adj point | US-PGPUB; USPAT | OR | OFF | 2007/07/04 11:46 |
| S29 8 | 0 | multiband near access adj point | US-PGPUB; USPAT | OR | OFF | 2007/07/04 11:46 |
| S29 9 | 1 | dual adj band near access adj point | US-PGPUB; USPAT | OR | OFF | 2007/07/04 11:47 |
| S30 0 | 4738 | multi adj band | US-PGPUB; USPAT | OR | OFF | 2007/07/04 11:47 |
| S30 1 | 5 | beacon adj frame with frequency adj band | US-PGPUB; USPAT | OR | OFF | 2007/07/04 11:49 |
| S30 2 | 1265 | frame with frequency adj band | US-PGPUB; USPAT | OR | OFF | 2007/07/04 11:49 |
| S30 3 | 13 | (AP access adj point) with frame with frequency adj band | US-PGPUB; USPAT | OR | OFF | 2007/07/04 12:05 |
| S30 4 | 1177 | ("802.11" MAC) same frequency adj band | US-PGPUB; USPAT | OR | OFF | 2007/07/04 12:06 |
| S30 5 | 672 | ("802.11" MAC) same frequency adj band and (access adj point AP) | US-PGPUB; USPAT | OR | OFF | 2007/07/04 12:06 |
| S30 6 | 10 | ("802.11" MAC) same frequency adj band and (access adj point AP) with (multi adj band dual adj band) | US-PGPUB; USPAT | OR | OFF | 2007/07/04 12:16 |
| S30 7 | 3 | probe adj frames same frequency | US-PGPUB; USPAT | OR | OFF | 2007/07/04 12:24 |
| S30 8 | 1758 | scanning same frequency adj band | US-PGPUB; USPAT | OR | OFF | 2007/07/04 12:25 |

EAST Search History

| | | | | | | |
|------|------|---|-----------------|----|-----|------------------|
| S309 | 92 | scanning same multi adj band | US-PGPUB; USPAT | OR | OFF | 2007/07/04 12:26 |
| S310 | 381 | (reduce adj scanning) | US-PGPUB; USPAT | OR | OFF | 2007/07/04 12:29 |
| S311 | 5 | (reduce adj scanning) and ("802.11") | US-PGPUB; USPAT | OR | OFF | 2007/07/04 12:30 |
| S312 | 2933 | frame same frequency adj band | US-PGPUB; USPAT | OR | OFF | 2007/07/04 12:31 |
| S313 | 1265 | frame with frequency adj band | US-PGPUB; USPAT | OR | OFF | 2007/07/04 12:31 |
| S314 | 47 | frame with frequency adj band and "802.11" | US-PGPUB; USPAT | OR | OFF | 2007/07/04 12:45 |
| S315 | 0 | frame with (dual multi frequency) near band with indicator and "802.11" | US-PGPUB; USPAT | OR | OFF | 2007/07/04 12:46 |
| S316 | 2 | frame with (dual multi frequency) near band with (information) and "802.11" | US-PGPUB; USPAT | OR | OFF | 2007/07/04 12:49 |
| S317 | 12 | "6563810" | US-PGPUB; USPAT | OR | OFF | 2007/07/04 12:50 |
| S318 | 1 | "20040023652" | US-PGPUB; USPAT | OR | OFF | 2007/07/04 12:51 |
| S319 | 1 | "20040063426" | US-PGPUB; USPAT | OR | OFF | 2007/07/04 12:52 |
| S320 | 2 | "20040127214" | US-PGPUB; USPAT | OR | OFF | 2007/07/04 12:52 |
| S321 | 2 | "20040165571" | US-PGPUB; USPAT | OR | OFF | 2007/07/04 12:53 |
| S322 | 0 | (beacon adj frame with settings adj parameters) | US-PGPUB; USPAT | OR | OFF | 2007/07/04 12:53 |
| S323 | 0 | (beacon adj frame with settings with parameters) | US-PGPUB; USPAT | OR | OFF | 2007/07/04 12:53 |
| S324 | 0 | (beacon adj frames with settings with parameters) | US-PGPUB; USPAT | OR | OFF | 2007/07/04 12:53 |
| S325 | 39 | (frames with settings with parameters) | US-PGPUB; USPAT | OR | OFF | 2007/07/04 12:53 |
| S326 | 19 | (frames with settings with parameters) and scan\$3 | US-PGPUB; USPAT | OR | OFF | 2007/07/04 12:54 |
| S327 | 8061 | (dual multi) adj band | US-PGPUB; USPAT | OR | OFF | 2007/07/04 13:08 |
| S328 | 914 | (dual multi) adj band and ("802.11") | US-PGPUB; USPAT | OR | OFF | 2007/07/04 13:08 |
| S329 | 3 | (dual adj band multi adj band) with (AP BS access adj point).ab. and ("802.11") | US-PGPUB; USPAT | OR | OFF | 2007/07/04 13:12 |

EAST Search History

| | | | | | | |
|----------|---------|--|------------------------------|----|-----|------------------|
| S33 0 | 6 | (dual adj band multi adj band) with (AP BS access adj point) with capability | US-PGPUB; USPAT | OR | OFF | 2007/07/04 13:18 |
| S33 1 | 65 | (dual adj band multi adj band) with (AP BS access adj point) | US-PGPUB; USPAT | OR | OFF | 2007/07/04 13:21 |
| S33 2 | 38 | (AP BS access adj point) with parameter adj settings | US-PGPUB; USPAT | OR | OFF | 2007/07/04 13:30 |
| S33 3 | 493 | (AP BS access adj point) with frequency adj band | US-PGPUB; USPAT | OR | OFF | 2007/07/04 13:31 |
| S33 4 | 84 | (AP BS access adj point) with frequency adj band same (beacon frame) | US-PGPUB; USPAT | OR | OFF | 2007/07/04 13:55 |
| S33 5 | 1002538 | (AP BS access adj point) with frequency adj band with dicatorsame (beacon frame) | US-PGPUB; USPAT | OR | OFF | 2007/07/04 13:55 |
| S33 6 | 0 | (AP BS access adj point) with frequency adj band with indicator same (beacon frame) | US-PGPUB; USPAT | OR | OFF | 2007/07/04 13:55 |
| S33 7 | 4 | (AP BS access adj point) with frequency adj band with indicator | US-PGPUB; USPAT | OR | OFF | 2007/07/04 13:56 |
| S33 8 | 0 | (AP BS access adj point) with frequency adj band with bits | US-PGPUB; USPAT | OR | OFF | 2007/07/04 13:56 |
| S33 9 | 2 | (AP BS access adj point) with frequency adj band with bit | US-PGPUB; USPAT | OR | OFF | 2007/07/04 13:57 |
| S34 0 | 184 | (AP BS access adj point) with band with information | US-PGPUB; USPAT | OR | OFF | 2007/07/04 13:57 |
| S34 1 | 42 | (AP BS access adj point) with band with information and (dual multi) with (band mode) | US-PGPUB; USPAT | OR | OFF | 2007/07/04 13:57 |
| S34 2 | 48 | ("5542120" "5784368" "5809421" "5926470" "6028853" "6128290" "6226317" "6246884").PN. OR ("6377608").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/07/04 14:10 |
| S34 3 | 0 | (mulit dual) with band adj indicator | US-PGPUB; USPAT | OR | OFF | 2007/07/04 14:11 |
| S34 4 | 2 | (multi dual) with band adj indicator | US-PGPUB; USPAT | OR | OFF | 2007/07/04 14:11 |
| S34 5 | 6 | (multi dual) with band adj (bit bits) | US-PGPUB; USPAT | OR | OFF | 2007/07/04 14:12 |
| S34 6 | 618 | (multi dual) with band with (bit bits) | US-PGPUB; USPAT | OR | OFF | 2007/07/04 14:12 |
| S34 7 | 26 | (multi dual) with band with (bit bits) and beacon | US-PGPUB; USPAT | OR | OFF | 2007/07/04 14:18 |
| S34 8 | 0 | (multi dual) with band with backward adj comaptiability | US-PGPUB; USPAT | OR | OFF | 2007/07/04 14:18 |

EAST Search History

| | | | | | | |
|----------|-----|---|--------------------|----|-----|------------------|
| S34 9 | 0 | (multi dual) with band with backward adj comaptibility | US-PGPUB; USPAT | OR | OFF | 2007/07/04 14:18 |
| S35 0 | 4 | (multi dual) with band with backward adj compatibility | US-PGPUB; USPAT | OR | OFF | 2007/07/04 14:26 |
| S35 1 | 198 | (multi dual) with mode with (AP access adj point) | US-PGPUB; USPAT | OR | OFF | 2007/07/04 14:27 |
| S35 2 | 13 | (multi dual) with mode with (AP access adj point).ab. | US-PGPUB; USPAT | OR | OFF | 2007/07/04 17:52 |